CONTENTS OF VOLUME 27 (1986)—DIAGNOSIS

Ulf Rudhe retires as editor
E. Boijsen 1

Suprarenal haematoma versus neuroblastoma complicated by haemorrhage—A diagnostic dilemma in the newborn
O. Eklöf, W. Mortensson and B. Sandstedt . . 3

Anatomic variations of the human cochlear aqueduct—A radio-anatomic investigation
C. Muren and H. Wilbrand 11

The course of bronchopulmonary dysplasia—A radiographic follow-up
W. Mortensson and M. Lindroth 19

Ultrasonic assessment of abdominal venous return —II—Volume blood flow in the inferior vena cava and portal vein
H.-J. Smith, P. Grøttum and S. Simonsen 23

Vascular neoplasm of the esophagus with life-threatening hemorrhage—Report of a case
J. Hoevels, U. Raute-Kreinsen, J. Reiter and B. C. Manegold 29

Radiologic findings after funduplication compared with a pH reflux test and symptoms
S.-G. Fransson, H. Sökjer, K.-E. Johansson and L. Tibbling 33

Interobserver variation in the radiographic diagnosis of duodenal ulcer disease
T. Gjørup, H. Nielsen, L. Bording Jensen and A. Mørup Jensen 41

Food-stimulated gastro-oesophageal reflux demonstrated by barium examination
T. Christensen and P. Thommesen 45

Prospective investigation of radiologic methods in the diagnosis of intra-abdominal abscesses
C. Lundstedt, E. Hederström, J. Brismar, T. Holmin and S.-E. Strand 49

Ovarian radiation dose during dynamic cystourethrography using videorecording and photofluorography
M. Westby, J. Sandbu, R. Jahren and M. Asmussen 55

Fallopian tube patency demonstrated at ultrasonography
F. Rasmussen, C. Larsen and P. Justesen . . . 61

A method for control of the target at aspiration biopsy of non-palpable breast lesions
R. Novak 65

A simulator model of a department of diagnostic radiology
M. Kaukiainen, E. Spring and E. Wåg 71

Ureteral diameter in low-risk vesicoureteral reflux in infancy and childhood
M. Hellström, K. Hjälmås, B. Jacobsson and U. Jodal 77

The validity of radiographic assessment of childhood transient synovitis of the hip
M. Rosenborg and W. Mortensson 85

Ultrasound examination of skin thickness in patients with progressive systemic sclerosis (scleroderma)
A. Åkesson, L. Forsberg, E. Hederström and F. Wollheim 91

Sound velocity in the middle phalanges of the human hand
K.-E. Fredfelt 95

Radiography of the carpal scaphoid—An experimental investigation evaluating the use of oblique projections
S. Lindequist and C. Falck Larsen 97

The axial view of the patello-femoral joint—Description of a new radiographic method for routine use
N. Egund 101

Bone mineral measurement with a continuous roentgen ray spectrum and a germanium detector
R. Jonson, B. Roos and T. Hansson 105

Low dose urography with a low osmolar contrast medium
L. Björk and B. F. Zachrisson 111

Proton magnetic resonance relaxation times T1 and T2 related to postmortem interval—An investigation on porcine brain tissue
Z. Györffy-Wagner, E. Englund, E.-M. Larsson, A. Brun, S. Cronqvist and B. Persson . . . 115

Occurrence of an intrahepatic porto-arterial shunt after hepatic artery embolization with gelfoam powder in rats and rabbits
O. Matsui, I. Kawamura and T. Takashima . . . 119

Morphologic changes following nephrostomy track dilatation—An experimental investigation in the pig
K. Ivancev, L. Ekelund and N. Jonsson 123

Book reviews 127

Therapeutic methods in diagnostic radiology
E. Boijsen 129

Ablation of tumor and inflammatory tissue with absolute ethanol
R. Uflacker, R. M. Paolini and M. Nobrega . . 131
Treatment of hepatocellular carcinoma by transarterial injection of anticancer agents in iodized oil suspension or of radioactive iodized oil solution
H. Kobayashi, H. Hidaka, Y, Kajiya, P. Tanoue, H. Inoue, K. Ikeda, M. Nakajo and S. Shinohara 139
Venous malformations in the face and neck—Radiologic diagnosis and treatment with absolute ethanol
B. Berthelsen, I. Fogdestam and P. Svendsen . 149
Anatomic variations of the human semicircular canal—A radioanatomic investigation
C. Muren, G. Ruhn and H. Wilbrand 157
Radiographically detectable intracortical porosity—The dimensions and frequencies of its components in hand bones of normal men and women
H. E. Meema 165
Lumbosacral epidurography and computed tomography—A preliminary report
C. Härdstedt and N. Vucetic 173
Digital angiography in pulmonary embolism
L. Björk 179
Diagnosis of tricuspid insufficiency by Doppler flowmetry in the inferior vena cava—A comparison with right ventricular angiography
H.-J. Smith 183
Left ventricular asynergy score as an indicator of previous myocardial infarction
C. Backman, K.-A. Jacobsson, H. Linderholm and G. Osterman 189
Sex-linked pattern of collaterals in iliac artery occlusive disease
C. Conrad, M. T. Corfitsen and J. Fries 195
Influence of different criteria for abnormal lymph node size on reliability of computed tomography in patients with non-seminomatous testicular tumor
H. H. Lien, A. E. Stenwig, A. Ous and S. D. Fosså 199
The width of the pharyngo-esophageal junction area
O. Ekberg 205
Routes of infection of acute suppurative thyroiditis diagnosed by barium examination
J. Ueda, Y. Kobayashi, K. Hara, B. Kishino, H. Fushimi and S. Sawada 209
Narcotic smuggling and radiography of the gastrointestinal tract
M. Pamilo, H. Suoranta and I. Suramo 213
The layering phenomenon and boundary formation in radiographs
A. E. Nilson 217
Effect of hemolysis and clotting on proton relaxation times of blood
P. Nummi, A. Alanen, V. Näntö and M. Kormano 225
Regional differences in the proton magnetic resonance relaxation times T1 and T2 within the normal human brain
E.-M. Larsson, E. Englund, Z. Györffy-Wagner, A. Brun, S. Cronqvist and B. Persson . . . 231
Comparison between EEG and observation of rabbit behaviour in evaluation of subarachnoid neurotoxicity of metrizamide
P. Maly, D. Elmqvist, T. Almén and K. Golman 235
Acute renal failure in rats—Interaction between a contrast medium and renal arterial occlusion
C. Cederholm, T. Almén, D. Bergqvist, K. Golman and R. Takolander 241
Videodensitometry and chest radiography in the evaluation of pulmonary blood flow and pulmonary oedema in a porcine model of early adult respiratory distress syndrome
G. Wegenius, P. Forsgren and J. Modig 249
Adverse reactions to intravascularly administered contrast media
T. Olin 257
Iohexol and metrizoate in urography of insulin dependent patients
J. Edgren, L. Laasonen, P.-H. Groop and L. Groop 265
Polysorbate 80 and low-osmolality water-soluble contrast medium enema in diagnosis and treatment of faecal obstruction in malignant phaeochromocytoma
J. F. Ratcliffe 269
Computed tomography in pre- and postoperative evaluation of aortic dissection
M. Landtman, L. Kivisaari, C.-G. Standertskjöld-Nordenstam and M. Taavitsainen 273
Selective streptokinase fibrinolysis in femoro-iliac arterial obstruction
K. Sørensen and V. Hegedüs 279
Computed tomographic angiography of the liver via the coeliac axis
C. Lundstedt, S. Götberg, A. Lunderquist, H. Stridbeck and H. Ekberg 285
Elevation of the pharynx and the width of the pharyngo-esophageal segment during swallow
O. Ekberg 293
Detection of gastro-oesophageal reflux disease—The clinical value of a barium examination after food stimulation
Th. Christiansen, J. Ravnsbæk, A. Tøttrup, P. Funch-Jensen and P. Thommesen 297
Radiologic evaluation of the continent (S-pouch) ileal reservoir with anal anastomosis
V. Hennild, H. Kjærgård and L. Kuld Hansen 301
Computed tomography and ^{131}I-MIBG scintigraphy in the diagnosis of pheochromocytoma
M. Koizumi, K. Endo, H. Sakahara, T. Nakashima, Y. Nakano, K. Nakao and K. Torizuka . 305

Computed tomography of pelvic lipomatosis—Report of a case
L. BÅÅTH, U. NYMAN, P. ASPELIN and L. WADSTRÖM 311
The topographic relations of the high jugular fossa to the inner ear—A radioanatomic investigation
K. WADIN and H. WILBRAND 315
The semicircular cannals of the inner ear and the pneumatization of the temporal bone
C. MUREN and H. WILBRAND 325
Normal and abnormal temporomandibular joints as demonstrated by magnetic resonance imaging
D. L. KREIPKE, D. J. CONCES JR, A. SONDHI, J. C. LAPPAS and G. T. AUGUSTYN 331
Computed tomography of the knee with reference to meniscal tears—A prospective blind investigation
A. G. JURIK, J. JØRGENSEN, O. HELMIG and A. DE CARVALHO 335
Amount of bone and bone remodelling in normal subjects and in patients with chronic renal failure
J. ANDRESEN and H. E. NIELSEN 341
Subarachnoid administration of iohexol in cynomolgus monkeys
H. P. DROBECK, B. A. MAYES, T. A. BARBOLT, R. J. FABIAN, J. P. KIMBALL and R. G. SLIGHTER JR . . 349
Teletransmission of radiographic images—Preliminary report
U. NILSSON, U. NYMAN and M. NILSSON 357
The appearance of liquid surfaces and layers in routine radiographs
A. E. NILSON 361
Advances in magnetic resonance imaging of the pelvis at 0.15 tesla
D. J. HAMLIN, H. PETTERSSON, J. O. JOHNSON and J. R. FITZSIMMONS 369
Positron emission tomography of cavernous haemangiomas of the brain
K. ERICSON, H. VON HOLST, M. MOSSKIN, M. BERGSTRÖM, M. LINDQVIST, G. NORÉN and L. ERIKSSON 379
Cerebral computed tomography in men with acquired immunodeficiency syndrome
B. BRUN, F. BOESEN, J. GERSTOFT, J. O. NIELSEN and J. PRÆSTHOLM 385
Investigation of temporal bone anatomy by plastic moulding and cryomicrotomy
H. WILBRAND and W. RAUSCHNING 389
The jugular bulb diverticulum—A radioanatomic investigation
K. WADIN and H. WILBRAND 395
Real-time ultrasonography of thyroid nodules
N. HAYASHI, N. TAMAKI, K. YAMAMOTO, M. SENDA, Y. YONEKURA, T. MISAKI, Y. IIDA, K. KASAGI, K. ENDO, J. KONISHI, K. TORIZUKA, T. MORI and K. MAKIMOTO 403
Translumbar selective coronary angiography by catheter replacement technique
F. EFSEN and I. ASMUSSEN 409
Relationships between coronary artery obstruction, asynergy, presence of collaterals and the ejection fraction of the left ventricle in patients with coronary heart disease
C. BACKMAN, Å. BILLSTRÖM, M. ERICSSON, K.-A. JACOBSSON, O. JOHNSON, H. LINDERHOLM and G. OSTERMAN 413
Duodenal diverticula demonstrated by barium examination
T. CHRISTIANSEN and P. THOMMESEN 419
Gastroesophageal reflux and pharyngeal function
O. EKBERG and S. LINDGREN 421
Anatomic variants of the hepatic arteries
H. RYGAARD, M. FORREST, T. MYGIND and H. BADEN 425
Tumor vessels and contrast enhancement of hepatocellular carcinoma demonstrated by percutaneous transhepatic portography—Report of a case
I. FUJISAWA, S. MINAMI, K. TSUTSUI, T. IMURA, M. ASANO, O. KITAMURA, M. MATSUMOTO, K. OZAWA and K. TORIZUKA 429
Perirenal lymphoma—Report of a case
P. G. LINDGREN, A. MAGNUSSON, H. HAGBERG and K. PAULSEN 433
Quantitative metacarpal bone measurements before and after renal transplantation
J. ANDRESEN and H. E. NIELSEN 437
The acetabular sector angle of the adult hip determined by computed tomography
S. ANDA, S. SVENNINGSEN, L. G. DALE and P. BENUM 443
Angiography of histopathologic variants of synovial sarcoma
J. F. LOIS, H. J. FISCHER, J. M. MIRRA and A. S. GOMES 449
Effect of motion on the sonographic and magnetic resonance patterns of ageing blood
A. ALANEN and P. NUMMI 455
Structure enhancement by subtraction in magnetic resonance imaging
A. HEMMINGSSON, K. BERGSTRÖM, A. ERICSSON, B. JUNG, G. SPERBER and K. Å. THUOMAS 459
Ultrasound examination of foreign bodies—An in vitro investigation
I. SURAMO and M. PAMILO 463
Image quality in mammography with special reference to anti-scatter grids and the magnification technique
B. NIELSEN and G. FAGERBERG 467
Perinatal postmortem radiography
U. SEPPÄNEN 481
Tissue damage at computed tomography following resolution of intracerebral hematomas
E. B. SKRIVER and T. S. OLSEN 495

Mobile intraventricular cyst of the third ventricle treated with stereotatic puncture—Report of a case
K. Ericson, M. Lindqvist, G. Norén and S. Håkansson 501
The internal acoustic meatus—Anatomic variations and relations to other temporal bone structures
C. Muren 505
Computed tomography of retinoblastoma
S. Lindahl 513
Coronary angiography and pathogenesis of coronary artery disease in young male survivors of myocardial infarction
A. Szamosi, A. Hamsten, G. Walldius and U. de Faire 519
Computed tomography of pleural lesions with special reference to the mediastinal pleura
O. Salonen, L. Kivisaari, C.-G. Standertskjöld-Nordenstam, K. Somer, K. Mattsson and L. Tammilehto 527
Radiologic evaluation of the oral stage of swallowing
O. Ekberg and B. Hillarp 533
Dimension of the pharyngo-esophageal segment in dysfunction of the cricopharyngeal muscle
O. Ekberg 539
Ultrasonic guidance for percutaneous puncture and drainage in acute cholecystitis
P. Lohela, M. Soiva, I. Suramo, M. Taavitsainen and O. Holopainen 543
Radiologic examination in gastric cancer—A retrospective study of 188 patients
J. O. Barentsz, G. R. Rosenbusch, S. P. Strijk and S. H. Yap 547
Radiologic findings and weight loss following gastroplasty for morbid obesity
J. Miskowiak, P. Fleckenstein and B. Andersen 553
Low dose urography—A clinical comparison of three low osmolar (ratio 3) contrast media
L. Björk and B. F. Zachrisson 557
Radiologic evaluation of urolithiasis
E. Laerum, A. M. Finnanger, G. Stiris, O. Heldaas and S. Larsen 561
Gamma camera renography with $^{99}Tc^{m}$-MDP and ^{131}I-Hippuran
F. Thomsen, L. Jørgensen and H. Diemer 565
Computed tomography in early stages of testicular carcinoma—Size of normal retroperitoneal lymph nodes and lymph nodes in patients with metastases in stage II A—A SWENOTECA study
L. Forsberg, L. Dale, L. Høiem, A. Magnusson, P. Mikulowski, A. M. Olsson, S. Ous and A. Stenwig 569
Radiologic aspects of calcaneal fractures in childhood and adolescence
F. Rasmussen and K. Schantz 575
Radiologic examination and measurement of the wrist and distal radio-ulnar joint—New aspects
A. H. Törnvall, F. af Ekenstam, C. G. Hagert and L. Irstam 581
Magnetic resonance imaging of hematomas in a 0.02 T magnetic field
A. Alanen 589
Technical aspects of magnetic resonance imaging in parathyroid gland lesions
A. Hemmingsson, A. Ericsson, S. Ljunghall, C. Juhlin, B. Jung, J. Rastad, K. Å. Thuomas and G. Åkerström 595
Eye lens dose in cranial computed tomography with reference to the technical development of CT scanners
U. Moström, C. Ytterbergh and K. Bergström . 599
Book reviews 607
Assessment of bone mineral content and bone mass by non-invasive radiologic methods
J. Andresen and H. E. Nielsen 609
Space orientation of total hip prosthesis—A method for three-dimensional determination
K. Herrlin, G. Selvik and H. Pettersson 619
Effects of a high jugular fossa and jugular bulb diverticulum on the inner ear—A clinical and radiologic investigation
K. Wadin, L. Thomander and H. Wilbrand . . 629
The subarcuate fossa and channel—A radioanatomic investigation
H. Wilbrand, W. Rauschning and G. Ruhn . . 637
Computed tomography of temporal bone specimens—A test of the resolution capability
C. Muren and G. Ytterbergh 645
Tumours of the central nervous system—Proton magnetic resonance relaxation times T1 and T2 and histopathologic correlates
E. Englund, A. Brun, E.-M. Larsson, Z. Györffy-Wagner and B. Persson 653
Studies on pulmonary ventilation using digital subtraction radiography—A preliminary report
L. Björk 661
Vascular enhancement during incremental body computed tomography—A simple and reliable technique
U. Nyman and G. Dinnetz 667
Ultrasonographic investigation of respiratory influence on diameters of portal vessels in normal subjects
M. Kurol and L. Forsberg 675
Balloon dilatation of alimentary tract strictures
V. Hegedüs and P. Ejby Poulsen 681
Ileocolic intussusception in large cell lymphoma of the terminal ileum—Report of a case
A. Greco, A. W. L. Leung, L. J. Zwi, P. Burdett-Smith, J. Spencer, R. N. Gibson and D. J. Allison 687